

From: [Michael PINTO](#)
To: [Bury, Carolyn](#)
Subject: RE: Request for Area 17 IM Monitoring Plan
Date: Friday, November 22, 2013 1:14:13 PM
Attachments: [image001.png](#)
[image002.png](#)

Carolyn,

There are a couple of typos you might want to address. Number 7 seems incomplete:

7) Observation of DNAPL and

And the numbering in the next paragraph is not sequential

- 1) A tabl
CAOs
- 2) The a
that e:
- 3) The n
excee
- 9) Measi
DNAP
- 10) The re

Let me know if you want me to delete the first letter and wait for a revised draft, or just work with the letter as-is. Either way, we'll start on the plan.

Thanks.

Michael Pinto
RETIA USA LLC/Legacy Site Services LLC
468 Thomas Jones Way, Suite 150
Exton, PA 19341
Office: 610 594-4435
Fax: 610 594-4439



From: Bury, Carolyn [mailto:bury.carolyn@epa.gov]
Sent: Friday, November 22, 2013 2:04 PM

To: Michael PINTO

Subject: Request for Area 17 IM Monitoring Plan

Hi Mike,

Please let me know if you have any questions regarding the attached letter. Also, please add any other monitoring measures that you feel would be beneficial to observing the effectiveness of the IM, to the monitoring plan.

Carolyn

Carolyn Bury
Project Manager
U.S. Environmental Protection Agency
Remediation and Re-use Branch
Corrective Action Section 2 - LU9J
77 W. Jackson Blvd.
Chicago, IL 60604

312-886-3020
bury.carolyn@epa.gov

7) Observation of DNAPL and

- 1) A table
CAOs
- 2) The a
that ex
- 3) The n
excee
- 9) Measu
DNAF
- 10) The re